

DBMAIL Admin

Email Address:

Password:

[Logout](#)**Add New Local Mailbox:**

E-Mail Address:

Real Name:

Password:

Client/Group/Department:

Add New External Forwarding Alias:

E-Mail Address:

Destinaion E-Mail:

Client/Group/Department:

Note: Add an alias for local mailboxes under the mailbox's modification page.

If you want to do store and forward, add both a forwarding alias here and a local alias of the same email address on the mailbox modification page.

Filter By Client/Group/Department

Select the blank option to show all mailboxes and aliases.

Existing Local Mailboxes:

<u>Mailbox</u>	<u>User's Real Name</u>	<u>Client/Group/Department</u>	<u>Usage</u>
vulture@netvulture.com	Jonathan Feally	NetVulture Consulting	3.04 GB

Existing Aliases (Local and External):

<u>Mailbox</u>	<u>Destination Mailbox</u>	<u>Client/Group/Department</u>	<u>Type</u>
jfeally@netvulture.com	vulture@netvulture.com	NetVulture Consulting	Local Alias
jon@netvulture.com	vulture@netvulture.com	NetVulture Consulting	Local Alias
spam@netvulture.com	ham@bacon.com	NetVulture Consulting	External Forward

Modify/Delete Client/Group/Department

(Mailboxes are not deleted, just moved to the default client/group/department)

Add New Client/Group/Department

Client/Group/Department Name:

[Mailbox Listing](#)

User Details:

Mailbox Address: vulture@netvulture.com
User's Real Name:
Mailbox Usage: 3.04 GB
Mailbox Quota:
Client/Group/Department: ▼

New Password:

Aliases:

<input type="text" value="jon@netvulture.com"/>	<input type="button" value="Drop Alias"/>
<input type="text" value="jfeally@netvulture.com"/>	<input type="button" value="Drop Alias"/>

Add New Alias:

[Mailbox Listing](#)

Alias Details:

spam@netvulture.com forwards to:

<u>Destination E-Mail</u>	<u>Client/Group/Department Name</u>	
ham@bacon.com	NetVulture Consulting ▼	<input type="button" value="Update"/> <input type="button" value="Drop Alias"/>

Add New Alias:

Destinaion E-Mail:

Client/Group/Department:

 ▼